

GREENWOOD TOWNSHIP BOARD OF SUPERVISORS
Special Meeting

December 30, 2025 at 6:30 P.M.

CALL TO ORDER – Chair Roskoski

PLEDGE OF ALLEGIANCE

Meeting is being recorded for transcription and archival purposes.

ROLL CALL - Chair Roskoski / Vice Chair Skubic / Supervisor Bassing / Supervisor Gilbert / Supervisor Bradach / Clerk Spicer

1. Review the quotes for purchase of new tires for the Fire Department vehicles.

Motion – by ___ to adjourn at pm **Vote**

Chair _____ **Clerk** _____



POMP'S TIRE SERVICE, INC.

REMITTANCE ADDRESS:
POMP'S TIRE SERVICE, INC.
P.O. BOX 88697
MILWAUKEE, WI 53288-8697
CREDIT DEPT: 800-536-2940

POMP'S TIRE-VIRGINIA
201 NORTH HOOVER ROAD

VIRGINIA, MN 55792

218/741-5562

ESTIMATE # 937993

*** REMIT TO ***
** P O BOX 88697 **
** MILWAUKEE, WI **
** 53288-8697 **

PAGE: 1

CUSTOMER: GREENWOOD FIRE
222

Unit T2

CREATED BY JOHNNY
SALESMAN: JOHNNY OTERO
ESTIMATE DATE: 12/09/25

TERMS: DUE ON DELIVERY

PRODUCT	MECHANIC	QUANTITY	PRICE	F.E.T.	EXTENSION
MED TRK DSMNT/MNT LOOSE-SHOP TDMS		6	40.00		240.00
MED TRK SPIN BALANCE - ON VEH TBAL		6.00	50.00		300.00
MED TRK VALVE STEM-ROAD TVALVR		6	13.50		81.00
MED TRK SCRAP DISPOSAL FEE TDISP		6	15.00		90.00
22.5X8.25 STEEL DAYTON WHITE 22582WD		6	137.50		825.00
11R22.5/16 B/S M799 B245434		6	448.05	29.39	2864.64
COMMERCIAL SHOP/SERVICE SUPPLIES SUPL			37.80		37.80

MERCHANDISE: 3594.30
 LABOR: 540.00
 OTHER: 127.80
 F.E.T.: 176.34
 SALES TAX: 278.09
 ESTIMATE TOTAL: 4716.53

Thank You Very Much For Your Business!
Have A Great Day Today!

***** Valid for 30 days *****

Bridgestone M799

Commercial Truck/Bus. Medium-Duty Truck Drive Radial tire Specifically Recommended in High Traction and High Scrub Applications in Light On/Off-Highway Service / Regional Haul Service and Pickup & Delivery Service.

Features

* Aggressive, open shoulder design * Tough tread compound with stone rejector platforms in center grooves * Sidewall protector * Extensive block siping * Bridgestone Truck Tire Limited Warranty

Benefits

* Helps deliver long tread life and traction * Provide long life and outstanding retreadability * Help shield casing against worksite cut, impact and abrasion damage for durability and retreadability * Improves traction by slicing through water for a solid grip on wet roads





POMP'S TIRE SERVICE, INC.

REMITTANCE ADDRESS:
POMP'S TIRE SERVICE, INC.
P.O. BOX 88697
MILWAUKEE, WI 53288-8697
CREDIT DEPT: 800-536-2940

POMP'S TIRE-VIRGINIA
201 NORTH HOOVER ROAD

VIRGINIA, MN 55792

218/741-5562

ESTIMATE # 937993

*** REMIT TO ***
** P O BOX 88697 **
** MILWAUKEE, WI **
** 53288-8697 **

PAGE: 1

CUSTOMER: GREENWOOD FIRE
222

Unit # E1

CREATED BY JOHNNY
SALESMAN: JOHNNY OTERO
ESTIMATE DATE: 12/09/25

TERMS: DUE ON DELIVERY

PRODUCT	MECHANIC	QUANTITY	PRICE	F.E.T.	EXTENSION
12R22.5/16 B/S M799 B233602		6	493.98	36.76	3184.44
MED TRK DSMNT/MNT LOOSE-SHOP TDMS		6	40.00		240.00
MED TRK SPIN BALANCE - ON VEH TBAL		6.00	50.00		300.00
MED TRK VALVE STEM-ROAD TVALVR		6	13.50		81.00
MED TRK SCRAP DISPOSAL FEE TDISP		6	15.00		90.00
COMMERCIAL SHOP/SERVICE SUPPLIES SUPL			37.80		37.80

MERCHANDISE:	3044.88
LABOR:	540.00
OTHER:	127.80
F.E.T.:	220.56
SALES TAX:	240.83
ESTIMATE TOTAL:	4174.07

Thank You Very Much For Your Business!
Have A Great Day Today!

***** Valid for 30 days *****

Bridgestone M799

Commercial Truck/Bus. Medium-Duty Truck Drive Radial tire Specifically Recommended in High Traction and High Scrub Applications in Light On/Off-Highway Service / Regional Haul Service and Pickup & Delivery Service.

Features

* Aggressive, open shoulder design * Tough tread compound with stone rejector platforms in center grooves * Sidewall protector * Extensive block siping * Bridgestone Truck Tire Limited Warranty

Benefits

* Helps deliver long tread life and traction * Provide long life and outstanding retreadability * Help shield casing against worksite cut, impact and abrasion damage for durability and retreadability * Improves traction by slicing through water for a solid grip on wet roads





POMP'S TIRE SERVICE, INC.

REMITTANCE ADDRESS:
POMP'S TIRE SERVICE, INC.
P.O. BOX 88697
MILWAUKEE, WI 53288-8697
CREDIT DEPT: 800-536-2840

ESTIMATE # 93799

POMP'S TIRE-VIRGINIA
201 NORTH HOOVER ROAD
VIRGINIA, MN 55792
218/741-5562

*** REMIT TO ***
** P O BOX 88697 **
** MILWAUKEE, WI **
** 53288-8697 **

PAGE: 1

CUSTOMER: GREENWOOD FIRE
222

Unit T3

CREATED BY JOHNNY
SALESMAN: JOHNNY OTERO
ESTIMATE DATE: 12/09/25

TERMS: DUE ON DELIVERY

PRODUCT	MECHANIC	QUANTITY	PRICE	F.E.T.	EXTENSION
MED TRK DSMNT/MNT LOOSE-SHOP TDMS		6	40.00		240.00
MED TRK SPIN BALANCE - ON VEH TBAL		6.00	50.00		300.00
MED TRK VALVE STEM-ROAD TVALVR		6	13.50		81.00
MED TRK SCRAP DISPOSAL FEE TDISP		6	15.00		90.00
315/80R22.5/20 HANKOOK DMO9 H3003394		6	542.49	52.83	3571.92
COMMERCIAL SHOP/SERVICE SUPPLIES SUPL			37.80		37.80

MERCHANDISE: 3335.94
 LABOR: 540.00
 OTHER: 127.80
 F.E.T.: 316.98
 SALES TAX: 269.40
 ESTIMATE TOTAL: 4590.12

Thank You Very Much For Your Business!
Have A Great Day Today!

***** Valid for 30 days *****

Hankook SMART WORK DM09

Commercial Truck/Bus. Winter Certified Medium-Duty Truck On/Off Road Drive Position Radial tire.

Features

* Interlocking tread pattern * Directional design * Tapered block design * Anti chip and cut compound * M+S Rated * Carries the Three-Peak Mountain Snowflake (3PMSF) symbol

Benefits

* Delivers great traction and performance in wet and muddy conditions * Provides excellent handling * Helps prevent stone drilling * Delivers a durable tire with the ability to withstand tough and harsh terrains * Meets the required performance criteria for Use in Severe Snow Conditions





POMP'S TIRE SERVICE, INC.

REMITTANCE ADDRESS:
POMP'S TIRE SERVICE, INC.
P.O. BOX 88697
MILWAUKEE, WI 53288-8697
CREDIT DEPT: 800-536-2940

ESTIMATE # 937993

POMP'S TIRE-VIRGINIA
201 NORTH HOOVER ROAD
VIRGINIA, MN 55792
218/741-5562

*** REMIT TO ***
** P O BOX 88697 **
** MILWAUKEE, WI **
** 53288-8697 **

PAGE: 1

CUSTOMER: GREENWOOD FIRE
222

Unit R5

CREATED BY JOHNNY
SALESMAN: JOHNNY OTERO
ESTIMATE DATE: 12/09/25

TERMS: DUE ON DELIVERY

PRODUCT	MECHANIC	QUANTITY	PRICE	F. E. T.	EXTENSION
MED TRK DSMNT/MNT LOOSE-SHOP TDMS		6	40.00		240.00
MED TRK SPIN BALANCE - ON VEH TBAL		6.00	50.00		300.00
MED TRK VALVE STEM-ROAD TVALVR		6	13.50		81.00
MED TRK SCRAP DISPOSAL FEE TDISP		6	15.00		90.00
225/70R19 .5/12 B/S M729F B299839		6	323.71	1.32	1950.18
COMMERCIAL SHOP/SERVICE SUPPLIES SUPL			37.80		37.80

MERCHANDISE: 2023.26
LABOR: 540.00
OTHER: 127.80
F.E.T.: 7.92
SALES TAX: 149.80
ESTIMATE TOTAL: 2848.78

Thank You Very Much For Your Business!
Have A Great Day Today!

***** Valid for 30 days *****

Bridgestone M729F

Commercial Truck/Bus. Medium-Duty Truck Radial Drive tire Recommended for High Traction and High Scrub Applications in Long Haul Service/Regional Haul Service and Pickup & Delivery Service.

Features

* Aggressive pattern * Casing construction and cap/base compounding * Sidewall protector ribs * Bridgestone Truck Tire Limited Warranty

Benefits

* Improves traction capabilities in all weather conditions * Improve durability and retreadability * Resist cuts and abrasions from curbing and impacts





Taconite Tire
 305 Hoover Road South
 Virginia, MN 55792
 218-741-5262
 www.taconitetire.com

Estimate

Bill To GREENWOOD TOWNSHIP

Cell
 Email BTCLKVERMILION@YAHOO.COM

Estimate # 14077502
 Service Advisor Casey A
 Technician NA

Appointment 12/9/2025 11:29 AM
 Promised 12/9/2025 6:00 PM

Service

Change Medium Truck Tire - ON/OFF TRUCK/TRAILER - STATE PRICING - UNIT E1

Dismount and Install tire and new valve stem where applicable, clean and seal tire to wheel seat, set tire pressure to proper inflation.			
138783012 - GOODYEAR - 12R22.5 H ENDURANCE MSD	6 Unit	\$655.68 / Unit	\$3,934.08 T1T2T 3
Dismount/Mount Truck Tire	6 Hours	\$38.00 / Hours	\$228.00
COMPUTERIZED SPIN BALANCE	6 Hours	\$42.50 / Hours	\$255.00
MDSCRAP - TRUCK DISPOSAL FEE - SCRAP	6 Unit	\$15.00 / Unit	\$90.00 T1T2T 3
MDVALVE - Medium Truck Valve	6 Unit	\$11.00 / Unit	\$66.00 T1T2T 3
			Sub \$4,573.08

Please Note

Some wheels require lug nut re-torque. Ask your Service Consultant for details.
 Keeping your tires properly inflated and rotated will assist in maximizing tire wear life and vehicle handling.

Total Parts		\$4,090.08
Total Labor		\$483.00
Total Before Taxes & Miscellaneous Charges		\$4,573.08
(T1) State Sales Tax	6.875 %	\$281.20
(T2) County Tax (Taconite)	0.5 %	\$20.45
(T3) City Tax	1 %	\$40.91
Grand Total		\$4,915.64

This Estimate is based on visual inspection, and does not include additional items which may be required after disassembly. Occasionally, after work is started, worn, broken, or damaged parts maybe discovered which were not evident upon the initial inspection. Prices on parts and labor are current and subject to change. All parts are assumed to be New Part not provided by the original equipment manufacturer unless otherwise noted. Estimates are valid for 30 days.

Date _____ Prepared By _____

It is recommended that all wheels be re-torqued within first 100 miles. We will do this free of charge.



Taconite Tire
 305 Hoover Road South
 Virginia, MN 55792
 218-741-5262
 www.taconitetire.com

Estimate

Bill To GREENWOOD TOWNSHIP

Cell
 Email BTCLKVERMILION@YAHOO.COM

Estimate # 14077507
 Service Advisor Casey A
 Technician NA

Appointment 12/9/2025 11:51 AM
 Promised 12/9/2025 6:00 PM

Service

Change Medium Truck Tire - ON/OFF TRUCK/TRAILER - STATE PRICING - UNIT R5

Dismount and Install tire and new valve stem where applicable, clean and seal tire to wheel seat, set tire pressure to proper inflation.			
139755004 - GOODYEAR - 225/70R19.5 G RANGEMAX	6 Unit	\$391.16 / Unit	\$2,346.96 T1T2T 3
RTD			
Dismount/Mount Truck Tire	6 Hours	\$38.00 / Hours	\$228.00
COMPUTERIZED SPIN BALANCE	6 Hours	\$42.50 / Hours	\$255.00
MDSCRAP - TRUCK DISPOSAL FEE - SCRAP	6 Unit	\$15.00 / Unit	\$90.00 T1T2T 3
MDVALVE - Medium Truck Valve	6 Unit	\$11.00 / Unit	\$66.00 T1T2T 3
			Sub \$2,985.96

Please Note

Some wheels require lug nut re-torque. Ask your Service Consultant for details.
 Keeping your tires properly inflated and rotated will assist in maximizing tire wear life and vehicle handling.

Total Parts		\$2,502.96
Total Labor		\$483.00
Total Before Taxes & Miscellaneous Charges		<u>\$2,985.96</u>
(T1) State Sales Tax	6.875 %	\$172.08
(T2) County Tax (Taconite)	0.5 %	\$12.51
(T3) City Tax	1 %	\$25.03
Grand Total		<u>\$3,195.58</u>

This Estimate is based on visual inspection, and does not include additional items which may be required after disassembly. Occasionally, after work is started, worn, broken, or damaged parts maybe discovered which were not evident upon the initial inspection. Prices on parts and labor are current and subject to change. All parts are assumed to be New Part not provided by the original equipment manufacturer unless otherwise noted. Estimates are valid for 30 days.

Date _____ Prepared By _____

It is recommended that all wheels be re-torqued within first 100 miles. We will do this free of charge.



Taconite Tire
 305 Hoover Road South
 Virginia, MN 55792
 218-741-5262
 www.taconitetire.com

Estimate

Bill To GREENWOOD TOWNSHIP

Cell
 Email BTCLKVERMILION@YAHOO.COM

Estimate # 14077504
 Service Advisor Casey A
 Technician NA

Appointment 12/9/2025 11:44 AM
 Promised 12/9/2025 6:00 PM

Service

Change Medium Truck Tire - ON/OFF TRUCK/TRAILER - STATE PRICING - UNIT T3

Dismount and Install tire and new valve stem where applicable, clean and seal tire to wheel seat, set tire pressure to proper inflation.			
158805643 - GOODYEAR - 315/80R22.5 L ENDURANCE TSD TL	6 Unit	\$736.92 / Unit	\$4,421.52 T1T2T3
Dismount/Mount Truck Tire	6 Hours	\$38.00 / Hours	\$228.00
COMPUTERIZED SPIN BALANCE	6 Hours	\$42.50 / Hours	\$255.00
MDSCRAP - TRUCK DISPOSAL FEE - SCRAP	6 Unit	\$15.00 / Unit	\$90.00 T1T2T3
MDVALVE - Medium Truck Valve	6 Unit	\$11.00 / Unit	\$66.00 T1T2T3
			Sub \$5,060.52

Please Note

Some wheels require lug nut re-torque. Ask your Service Consultant for details.
 Keeping your tires properly inflated and rotated will assist in maximizing tire wear life and vehicle handling.

Total Parts		\$4,577.52
Total Labor		\$483.00
Total Before Taxes & Miscellaneous Charges		\$5,060.52
(T1) State Sales Tax	6.875 %	\$314.71
(T2) County Tax (Taconite)	0.5 %	\$22.89
(T3) City Tax	1 %	\$45.78
Grand Total		\$5,443.90

This Estimate is based on visual inspection, and does not include additional items which may be required after disassembly. Occasionally, after work is started, worn, broken, or damaged parts maybe discovered which were not evident upon the initial inspection. Prices on parts and labor are current and subject to change. All parts are assumed to be New Part not provided by the original equipment manufacturer unless otherwise noted. Estimates are valid for 30 days.

Date _____ Prepared By _____

It is recommended that all wheels be re-torqued within first 100 miles. We will do this free of charge.



Taconite Tire
 305 Hoover Road South
 Virginia, MN 55792
 218-741-5262
 www.taconitetire.com

Estimate

Bill To GREENWOOD TOWNSHIP

Cell
 Email BTCLKVERMILION@YAHOO.COM

Estimate # 14077506
 Service Advisor Casey A
 Technician NA

Appointment 12/9/2025 11:48 AM
 Promised 12/9/2025 6:00 PM

Service

Change Medium Truck Tire - ON/OFF TRUCK/TRAILER - STATE PRICING - UNIT T2 - MUST CHANGE WHEELS - TIRES IN THAT SIZE NO LONGER AVAILABLE

Dismount and Install tire and new valve stem where applicable, clean and seal tire to wheel seat, set tire pressure to proper inflation.			
138803185 - GOODYEAR - 11R225 H G182 RSD TL	6 Unit	\$587.82 / Unit	\$3,526.92 T1T2T3
43644XP - ACCURIDE - AL225X825 HUB PILOT ALUMINUM	6 Unit	\$281.25 / Unit	\$1,687.50 T1T2T3
Dismount/Mount Truck Tire	6 Hours	\$38.00 / Hours	\$228.00
COMPUTERIZED SPIN BALANCE	6 Hours	\$42.50 / Hours	\$255.00
MDSCRAP - TRUCK DISPOSAL FEE - SCRAP	6 Unit	\$15.00 / Unit	\$90.00 T1T2T3
MDVALVE - Medium Truck Valve	6 Unit	\$11.00 / Unit	\$66.00 T1T2T3
			Sub \$5,853.42

Please Note


Some wheels require lug nut re-torque. Ask your Service Consultant for details.
 Keeping your tires properly inflated and rotated will assist in maximizing tire wear life and vehicle handling.

Total Parts		\$5,370.42
Total Labor		\$483.00
Total Before Taxes & Miscellaneous Charges		\$5,853.42
(T1) State Sales Tax	6.875 %	\$369.22
(T2) County Tax (Taconite)	0.5 %	\$26.85
(T3) City Tax	1 %	\$53.71
Grand Total		\$6,303.20

This Estimate is based on visual inspection, and does not include additional items which may be required after disassembly. Occasionally, after work is started, worn, broken, or damaged parts maybe discovered which were not evident upon the initial inspection. Prices on parts and labor are current and subject to change. All parts are assumed to be New Part not provided by the original equipment manufacturer unless otherwise noted. Estimates are valid for 30 days.

Date _____ Prepared By _____

It is recommended that all wheels be re-torqued within first 100 miles. We will do this free of charge.



RANGEMAX™ RSA® & RTD® ULT

GOODYEAR'S BEST 19.5" REGIONAL PICKUP AND DELIVERY COMBINATION BALANCING TRACTION, RANGE* AND MILEAGE

- **DELIVERS COST PER MILE**
Innovative tread compound helps deliver long wear and range efficiency
- **NOT AFRAID OF A LITTLE CONTACT**
Advanced tire design helps to endure severe scrubbing and curbing
- **BEST CASING SCENARIO**
Premium enhanced casing helps provide toughness and durability for retreadability

RANGEMAX RSA ULT

- **ADVANCED TREAD COMPOUNDS**
Low-rolling resistance technology is engineered to help promote energy efficiency, which aids to extend vehicle range**
- **A STRONG BACKBONE**
Intellimax technology** to help stiffen tread for long miles to removal
- **EXTRA TEETH MEAN EXTRA BITE**
Sawtooth shoulder groove design for M+S and Three-Peak Mountain Snowflake (3PMSF)†† traction rating

All-Position



M+S



RANGEMAX RTD ULT

- **DESIGNED WITH BIO-BASED MATERIAL**
Innovative soybean oil technology within the tread reduces petroleum use
- **A FIRM GRIP**
Deep open-shoulder tread design provides traction while still delivering long miles to removal
- **ENJOYS THE WEATHER**
Meets 3PMSF traction rating, delivering enhanced traction and acceleration in various weather conditions

Drive



M+S



*Based on EPA fuel economy estimates for the vehicle. Actual mileage may vary. **Intellimax technology is a registered trademark of Goodyear. ††Meets the 3PMSF traction rating. †††Meets the 3PMSF traction rating.

GOODYEAR



RANGEMAX™ RSA® ULT AVAILABLE SIZES AND LOAD RANGES

TIRE SIZE	LOAD RANGE	SINGLE LOAD		SINGLE INFLATION		DUAL LOAD		DUAL INFLATION		WEIGHT		RIM WIDTH		OVERALL WIDTH		OVERALL DIAMETER		STATIC RADII		RPM	RPM	TREAD DEPTH (IN)	MIN. DUAL SPACING		SPEED RATING
		LB.	KG.	PSI	KPA	LB.	KG.	PSI	KPA	LB.	KG.	IN	MM	IN	MM	IN	MM	IN	MM				IN	MM	
TUBELESS TIRES ON 15" DROP CENTER RIMS																									
225/70R19.5	G	3,970	1,800	110	76C	3,750	1,700	110	760	84	29	6.75	8.9	228	32.3	820	15.2	385	838	396	16	9.7	245	87	
245/70R19.5	H	4,940	2,240	120	825	4,675	2,120	120	825	72	33	6.75	8.6	244	33.1	841	15.5	394	823	387	16	10.7	272	81	

Check goodyeartrucktires.com for updated data.

COMPLEMENTARY RETREADS - 6047 RSC				
RETREAD	SIZE	AVAILABLE WIDTH		TREAD DEPTH
		IN	MM	3/32"
UNICIRCLE®	225/70R19.5	7 1/2	190	16
UNICIRCLE	245/70R19.5	8 1/2	215	16



10% better rolling resistance vs Fuel Max® RSA® ULT*

Fuel Max RSA ULT RangeMax RSA ULT



HIGH ROLLING RESISTANCE



LOW ROLLING RESISTANCE



M+S

Competitive Replacements

Bridgestone R238 Michelin Agilis HD Z

Recommended Applications

Recommended Optional

Engineered for internal combustion engine and electric vehicles.



RANGEMAX™ RTD® ULT AVAILABLE SIZES AND LOAD RANGES

TIRE SIZE	LOAD RANGE	SINGLE LOAD		SINGLE INFLATION		DUAL LOAD		DUAL INFLATION		WEIGHT		RIM WIDTH		OVERALL WIDTH		OVERALL DIAMETER		STATIC RADII		RPM	RPM	TREAD DEPTH (IN)	MIN. DUAL SPACING		SPEED RATING
		LB.	KG.	PSI	KPA	LB.	KG.	PSI	KPA	LB.	KG.	IN	MM	IN	MM	IN	MM	IN	MM				IN	MM	
TUBELESS TIRES ON 15" DROP CENTER RIMS																									
225/70R19.5	G	3,970	1,800	110	760	3,750	1,700	110	760	84	29	6.75	8.8	223	32.3	820	15.2	386	643	400	18	10.0	254	87	
245/70R19.5	H	4,940	2,240	120	825	4,675	2,120	120	825	75	34	6.75	9.7	246	33.4	848	15.4	591	622	386	18	10.7	272	81	

Check goodyeartrucktires.com for updated data.

COMPLEMENTARY RETREADS - 6027 RSD*				
RETREAD	SIZE	AVAILABLE WIDTH		TREAD DEPTH
		IN	MM	3/32"
UNICIRCLE	225/70R19.5	7 1/2	190	19
UNICIRCLE	245/70R19.5	8 1/2	215	20



More sustainable tread cap compound vs Fuel Max® RTD™ ULT†

225/70R19.5

4.7 oz petroleum oil removed

3.9 oz soybean oil added

245/70R19.5

4.9 oz petroleum oil removed

4.0 oz soybean oil added



M+S

Competitive Replacements

Bridgestone M729F Michelin XDS 2

Recommended Applications

Engineered for internal combustion engine and electric vehicles.



To see how premium Goodyear® tires can help your fleet save money, go to goodyeartrucktires.com.

TOTAL MOBILITY



Trusted Products

Full range of tires, technologies and services with options for every fleet.



Premier Service Network

Reliable service network of 2,500+ dealer locations nationwide.



Complete Tire Management

Manage fleet programs and tools to optimize fleet assets and ROI.

goodyeartrucktires.com

*Source: Goodyear Rolling Resistance Test. Rolling resistance of RANGEMAX RSA ULT 225/70R19.5 and Fuel Max RSA ULT 225/70R19.5. Fuel Max RSA ULT 225/70R19.5 has a lower rolling resistance (more fuel efficient) than Fuel Max RSA ULT 225/70R19.5. **Based on Goodyear's low rolling resistance tires. Rolling resistance is a measure of the energy required to overcome the resistance of the tire to the road. Lower rolling resistance means less energy is required to move the vehicle forward, resulting in lower fuel consumption. †Based on Goodyear's low rolling resistance tires. Rolling resistance is a measure of the energy required to overcome the resistance of the tire to the road. Lower rolling resistance means less energy is required to move the vehicle forward, resulting in lower fuel consumption.

©2015 The Goodyear Tire & Rubber Company. All rights reserved. 1-800-955-5177

BETTER FUTURE It's possible. Steer clear of putting this piece of capital machinery over the side of goodyeartrucktires.com sources.





ENDURANCE[®] MSD[®] *MIXED SERVICE DRIVE*

GOODYEAR'S BEST MIXED SERVICE DRIVE TIRE FOR LONG MILES TO REMOVAL IN ON- AND OFF-ROAD APPLICATIONS

- **MADE STRONGER TO LAST LONGER**
High-mileage tread compound helps resist cuts, chips and tears for long miles to removal
- **A FIRM GRIP**
Deep 28/32" open-shoulder tread design helps enhance mileage and deliver off-road, wet and 3PMSF traction rating
- **BEST-CASING SCENARIO**
Enhanced casing with steel belt package helps offer toughness and performance through multiple retread cycles
- **SPECIAL INTERMITTENT SERVICE***
Rated for emergency vehicle applications on 22.5" rim sizes



Three-Peak Mountain
Snowflake (3PMSF)

M + S

GOODYEAR
MORE DRIVEN



*Intermittent Service rating for emergency vehicles only. See Goodyear's website for more details. See Goodyear's website for more details. See Goodyear's website for more details.



ENDURANCE[®] MSD[®] AVAILABLE SIZES AND LOAD RANGES

TIRE SIZE	LOAD RANGE	SINGLE LOAD		SINGLE INFLATION		DUAL LOAD		DUAL INFLATION		WEIGHT		RIM WIDTH		OVERALL WIDTH		OVERALL DIAMETER		STATIC RADIUS		KPM	PK	TREAD DEPTH (2ND)	MIN. DUAL SPACING (IN)	SPEED RATING
		LB	KG	PSI	KPA	LB	KG	PSI	KPA	LB	KG	IN	MM	IN	MM	IN	MM							
TUBELESS TIRES ON 15" DROP CENTER RIMS																								
11R22.5	H	6,610	3,000	120	830	6,005	2,725	120	830	133	60.1	8.25	10.8	274	42.1	1,069	10.7	500	496	308	28	12.5	318	75
12R22.5	H	7,390	3,350	120	830	6,780	3,075	120	830	150	68.0	8.00	11.5	292	43.4	1,102	20.4	518	462	300	28	13.5	343	75
11R24.5	H	7,160	3,250	120	830	6,610	3,000	120	830	142	64.2	8.25	11.0	279	44.0	1,118	20.8	528	474	295	28	12.5	317	75

Check goodyeartrucktires.com for updated data.

*Intermittent Service rated for emergency vehicle applications.

MATCHING RETREAD				
RETREAD [®]	SIZE	AVAILABLE WIDTH		TREAD DEPTH
		IN	MM	(2ND)
UNICIRCLE [®]	11R22.5	8 1/2, 9	215, 230	28
UNICIRCLE	11R24.5	8 1/2, 9	215, 230	28



Complementary Products

ALL-POSITION

Armor Max[®] MSA G751[®] MSA

Competitive Replacements

Bridgestone M799 Michelin X Works XDY

Recommended Applications



Three-Peak Mountain Snowflake

M + S

To see how premium Goodyear tires like Endurance MSD can help your fleet save money, go to goodyeartrucktires.com.

TOTAL MOBILITY



Trusted Products

Full range of tires, technologies, and retreads with options for every fleet.



Premier Service Network

Reliable service network of 2,000+ dealer locations nationwide.



Tire Management

Unparalleled programs and tools to optimize tire assets and ROI.

goodyeartrucktires.com

Subject Taconite Tire Info
From Casey Aluni
<caluni@taconitetire.com>
To: <BTCLKVERMILION@yahoo.com>
Date Dec 15 at 14:14

Brian,

Just wanted to follow up with some more info on the tire that I had quoted for Greenwood Township's Emergency vehicles.

The tires that were recommended and quoted to you are all tires made by Goodyear that are specifically designed to perform well for your application. They all come with the "Three-Peak Mountain Snowflake" rating. This is an industry wide designation that means they will provide great winter traction for your rigs, and you'll be properly equipped no matter what the weather conditions are.

Attached is Goodyear's brochures on the tires that were quoted. They show the tread styles, and explain the features and benefits of the tires, including that they are designed for emergency vehicles, and carry that Snowflake rating.

Below is also some information from Goodyear's Commercial Tire Warranty handbook, explaining their recommendations on tire age.

Let me know if you have any questions.

**Safety
Information**

- How Long Do Tires Last

Time in Service v. Time in Years It is impossible to predict when a tire should be replaced based on its calendar age alone. Although no widely accepted scientific research exists to show that chronological aging alone adversely affects a tire, and if so, how those effects occur, over what time period, etc., the longer a tire is in service, the more opportunities there are for it to be exposed to adverse environmental or service conditions. Therefore, the older a tire the greater the chance that it will need to be replaced due to service-related or storage conditions.

Tire Replacement – 6 Years in Service While most tires will be replaced sooner, Goodyear recommends that any tire in service (meaning inflated and mounted on a rim of your vehicle, including your spare tire

regardless of whether that tire is in contact with the roadway) 6 years or more be replaced even if such tire appears serviceable and even if it has not reached the legal treadwear limit. If you are unable to determine the date a tire was first placed in service, then you should rely on the DOT code stamped on the tire and ensure that any tire which was manufactured more than 6 years ago is removed from service (see below for how to read a tire's DOT code). Tires that should otherwise be replaced based on wear, damage or any other factor should not be kept in service regardless of the date they were first placed in service or their date of manufacture. Also, consumers should never purchase or install used tires of any age on their vehicle as the service, maintenance and storage of used tires is largely unknown.

Thanks,

Casey

Casey Aluni
General Manager
Taconite Tire Service
Office - 218-741-5262
Cell- 218-780-6003

Email - caluni@taconitetire.com

3 Attachments

02/21/2011

EnduranceMSD Info.pdf

RangeMaxRSA Info.pdf